

Instal-Complex



Kształtki żeliwne ocynkowane i czarne

Łuk długi nakrętny ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-002-015000000	1/2"	100	152 g
2520-002-020000000	3/4"	60	238 g
2520-002-025000000	1"	40	388 g
2520-002-032000000	1 1/4"	25	630 g

Obejście ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-085-015000000	1/2"	150	160 g
2520-085-020000000	3/4"	90	215 g

Przedłużka ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-529-015000000	1/2"	600	68 g
2520-529-020000000	3/4"	380	92 g
2520-529-025000000	1"	150	148 g
2520-529-032000000	1 1/4"	100	220 g

Przedłużka redukcyjna ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-246-020015000	3/4"x1/2"	240	103 g
2520-246-025020000	1"x3/4"	120	138 g
2520-246-032025000	1 1/4"x1"	100	243 g

Dwuzłączka kolanko ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-095-015000000	1/2"	120	290 g
2520-095-020000000	3/4"	160	357 g
2520-095-025000000	1"	60	458 g
2520-095-032000000	1 1/4"	48	744 g
2520-095-040000000	1 1/2"	24	922 g
2520-095-050000000	2"	12	1348 g

Zaślepka ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-300-015000000	1/2"	700	48 g
2520-300-020000000	3/4"	500	69 g
2520-300-025000000	1"	360	107 g
2520-300-032000000	1 1/4"	250	161 g

Zaślepka okrągła ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-301-015000000	1/2"	700	48 g
2520-301-020000000	3/4"	500	69 g
2520-301-025000000	1"	360	107 g
2520-301-032000000	1 1/4"	250	161 g

Złączka zaciskowa AK



Kod produktu	Rozmiar	Ilość w op.	Waga
2530-001-015000000	1/2"	1	155 g
2530-001-020000000	3/4"	1	236 g
2530-001-025000000	1"	1	296 g

Złączka zaciskowa IK



Kod produktu	Rozmiar	Ilość w op.	Waga
2530-002-015000000	1/2"	1	178 g
2530-002-020000000	3/4"	1	236 g
2530-002-025000000	1"	1	312 g

Łuk długi wz ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-001-015000000	1/2"	100	121 g
2520-001-020000000	3/4"	60	211 g
2520-001-025000000	1"	40	368 g
2520-001-032000000	1 1/4"	25	599 g

Złączka wz ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-241-015010000	1/2"x3/8"	400	29 g
2520-241-020015000	3/4"x1/2"	600	41 g
2520-241-025015000	1"x1/2"	300	92 g
2520-241-025020000	1"x3/4"	300	73 g
2520-241-032015000	1 1/4"x1/2"	200	158 g
2520-241-032020000	1 1/4"x3/4"	200	144 g
2520-241-032025000	1 1/4"x1"	200	116 g
2520-241-040015000	1 1/2"x1/2"	160	180 g
2520-241-040020000	1 1/2"x3/4"	160	177 g
2520-241-040025000	1 1/2"x1"	160	182 g
2520-241-040032000	1 1/2"x1 1/4"	160	123 g
2520-241-050015000	2"x1/2"	60	365 g
2520-241-050020000	2"x3/4"	60	344 g
2520-241-050025000	2"x1"	96	300 g
2520-241-050032000	2"x1 1/4"	96	287 g
2520-241-050040000	2"x1 1/2"	96	245 g
2520-241-065050000	2 1/2"x2"	96	310 g

Dwuzłączka nakrętna ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-330-015000000	1/2"	180	155 g
2520-330-020000000	3/4"	228	120 g
2520-330-025000000	1"	88	315 g
2520-330-032000000	1 1/4"	56	450 g
2520-330-040000000	1 1/2"	36	590 g
2520-330-050000000	2"	28	820 g
2520-330-065000000	2 1/2"	20	1342 g
2520-330-080000000	3"	14	1931 g
2520-330-100000000	4"	4	3243 g

Dwuzłączka wz ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-331-015000000	1/2"	180	230 g
2520-331-020000000	3/4"	228	323 g
2520-331-025000000	1"	88	422 g
2520-331-032000000	1 1/4"	56	699 g
2520-331-040000000	1 1/2"	36	845 g
2520-331-050000000	2"	28	1278 g

Obejma naprawcza OBA



Kod produktu	Rozmiar	Ilość w op.	Waga
2530-003-015000000	1/2"	1	352 g
2530-003-020000000	3/4"	1	366 g
2530-003-025000000	1"	1	438 g

Kolanko nakrętne ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-090-010000000	3/8"	400	53 g
2520-090-015000000	1/2"	400	70 g
2520-090-020000000	3/4"	210	110 g
2520-090-025000000	1"	120	173 g
2520-090-032000000	1 1/4"	64	270 g
2520-090-040000000	1 1/2"	48	340 g
2520-090-050000000	2"	32	532 g
2520-090-065000000	2 1/2"	12	1111 g
2520-090-080000000	3"	8	1545 g
2520-090-100000000	4"	4	2975 g

Kolanko wz ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-092-010000000	3/8"	280	53 g
2520-092-015000000	1/2"	300	74 g
2520-092-020000000	3/4"	180	117 g
2520-092-025000000	1"	104	185 g
2520-092-032000000	1 1/4"	60	325 g
2520-092-040000000	1 1/2"	52	410 g
2520-092-050000000	2"	26	676 g
2520-092-065000000	2 1/2"	12	1302 g
2520-092-080000000	3"	8	1758 g
2520-092-100000000	4"	4	3202 g

Kolanko redukcyjne ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-090-R20015000	3/4"x1/2"	270	90 g
2520-090-R25015000	1"x1/2"	160	149 g
2520-090-R25020000	1"x3/4"	160	190 g
2520-090-R32025000	1 1/4"x1"	50	236 g

Trójnik narożny ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-221-015000000	1/2"	160	113 g
2520-221-020000000	3/4"	100	150 g
2520-221-025000000	1"	50	260 g

Trójnik ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-130-010000000	3/8"	360	90 g
2520-130-015000000	1/2"	240	98 g
2520-130-020000000	3/4"	140	150 g
2520-130-025000000	1"	90	240 g
2520-130-032000000	1 1/4"	56	375 g
2520-130-040000000	1 1/2"	40	455 g
2520-130-050000000	2"	20	700 g
2520-130-065000000	2 1/2"	12	1456 g
2520-130-080000000	3"	8	2165 g
2520-130-100000000	4"	4	3629 g

Trójnik redukcyjny ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-130-R20015000	3/4"x1/2"	150	135 g
2520-130-R25015000	1"x1/2"	100	180 g
2520-130-R25020000	1"x3/4"	100	205 g
2520-130-R32020000	1 1/4"x3/4"	64	280 g
2520-130-R32025000	1 1/4"x1"	64	330 g
2520-130-R40020000	1 1/2"x3/4"	64	421 g
2520-130-R40025000	1 1/2"x1"	64	383 g
2520-130-R50040000	2"x1 1/2"	15	658 g

Nypel ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-280-010000000	3/8"	600	34 g
2520-280-015000000	1/2"	600	55 g
2520-280-020000000	3/4"	300	81 g
2520-280-025000000	1"	200	125 g
2520-280-032000000	1 1/4"	140	175 g
2520-280-040000000	1 1/2"	104	222 g
2520-280-050000000	2"	56	310 g
2520-280-065000000	2 1/2"	20	630 g
2520-280-080000000	3"	8	933 g
2520-280-100000000	4"	4	1448 g

Nypel redukcyjny ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-245-020015000	3/4"x1/2"	400	85 g
2520-245-025015000	1"x1/2"	260	120 g
2520-245-025020000	1"x3/4"	240	125 g
2520-245-032020000	1 1/4"x3/4"	140	185 g
2520-245-032025000	1 1/4"x1"	140	197 g
2520-245-040025000	1 1/2"x1"	120	243 g
2520-245-040032000	1 1/2"x1 1/4"	100	240 g
2520-245-050025000	2"x1"	72	355 g
2520-245-050032000	2"x1 1/4"	72	360 g
2520-245-050040000	2"x1 1/2"	60	365 g

Mufa redukcyjna ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-240-015010000	1/2"x3/8"	360	71 g
2520-240-020015000	3/4"x1/2"	360	79 g
2520-240-025015000	1"x1/2"	200	110 g
2520-240-025020000	1"x3/4"	200	115 g
2520-240-032020000	1 1/4"x3/4"	144	165 g
2520-240-032025000	1 1/4"x1"	120	170 g
2520-240-040020000	1 1/2"x3/4"	120	222 g
2520-240-040025000	1 1/2"x1"	120	215 g
2520-240-040032000	1 1/2"x1 1/4"	100	225 g
2520-240-050025000	2"x1"	50	370 g
2520-240-050032000	2"x1 1/4"	72	300 g
2520-240-050040000	2"x1 1/2"	48	315 g

Mufa ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-270-010000000	3/8"	500	44 g
2520-270-015000000	1/2"	450	58 g
2520-270-020000000	3/4"	300	85 g
2520-270-025000000	1"	180	137 g
2520-270-032000000	1 1/4"	120	203 g
2520-270-040000000	1 1/2"	72	250 g
2520-270-050000000	2"	48	352 g
2520-270-065000000	2 1/2"	24	673 g
2520-270-080000000	3"	8	942 g
2520-270-100000000	4"	4	1395 g

Korek z obrzeżem ocynk



Kod produktu	Rozmiar	Ilość w op.	Waga
2520-290-010000000	3/8"	500	28 g
2520-290-015000000	1/2"	900	38 g
2520-290-020000000	3/4"	600	62 g
2520-290-025000000	1"	300	106 g
2520-290-032000000	1 1/4"	200	155 g
2520-290-040000000	1 1/2"	100	193 g
2520-290-050000000	2"	50	342 g
2520-290-065000000	2 1/2"	50	496 g
2520-290-080000000	3"	24	692 g

Trójnik czarny



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-130-010000000	3/8"	360	90 g
2510-130-015000000	1/2"	240	98 g
2510-130-020000000	3/4"	140	150 g
2510-130-025000000	1"	90	240 g
2510-130-032000000	1 1/4"	56	375 g
2510-130-040000000	1 1/2"	40	455 g
2510-130-050000000	2"	20	700 g

Trójnik redukcyjny czarny



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-130-R20015000	3/4"x1/2"	150	135 g
2510-130-R25015000	1"x1/2"	100	180 g
2510-130-R25020000	1"x3/4"	100	205 g

Korek czarny



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-290-010000000	3/8"	500	28 g
2510-290-015000000	1/2"	900	38 g
2510-290-020000000	3/4"	600	62 g
2510-290-025000000	1"	300	106 g
2510-290-032000000	1 1/4"	200	155 g
2510-290-040000000	1 1/2"	200	193 g
2510-290-050000000	2"	80	342 g

Dwuzłazka czarna



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-330-015000000	1/2"	180	155 g
2510-330-020000000	3/4"	228	120 g
2510-330-025000000	1"	88	315 g

Mufa czarna



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-270-010000000	3/8"	450	44 g
2510-270-015000000	1/2"	450	58 g
2510-270-020000000	3/4"	300	85 g
2510-270-025000000	1"	180	137 g
2510-270-032000000	1 1/4"	120	203 g
2510-270-040000000	1 1/2"	72	250 g
2510-270-050000000	2"	48	352 g

Nypel redukcyjny czarny



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-245-020015000	3/4"x1/2"	400	85 g
2510-245-025015000	1"x1/2"	260	120 g
2510-245-025020000	1"x3/4"	240	125 g
2510-245-040032000	1 1/2"x1 1/4"	100	240 g

Zaślepka okrągła czarna



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-301-015000000	1/2"	700	48 g
2510-301-020000000	3/4"	500	69 g
2510-301-025000000	1"	360	107 g

Półśrubunek do pomp komplet



Kod produktu	Rozmiar	Ilość w op.	Waga
0200-001-372000374	1"x1 1/2"	50	405 g

Nypel czarny



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-280-015000000	1/2"	600	55 g
2510-280-020000000	3/4"	300	81 g
2510-280-025000000	1"	200	125 g
2510-280-032000000	1 1/4"	140	175 g
2510-280-040000000	1 1/2"	104	222 g
2510-280-050000000	2"	56	310 g

Złączka wz czarna



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-241-020015000	3/4"x1/2"	600	41 g
2510-241-025015000	1"x1/2"	300	92 g
2510-241-025020000	1"x3/4"	300	73 g
2510-241-032025000	1 1/4"x1"	200	116 g
2510-241-040032000	1 1/2"x1 1/4"	160	123 g
2510-241-050040000	2"x1 1/2"	96	245 g

Zaślepka czarna



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-300-015000000	1/2"	700	48 g
2510-300-020000000	3/4"	500	69 g
2510-300-025000000	1"	360	107 g

Przedłużka czarna



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-529-015000000	1/2"	600	68 g
2510-529-020000000	3/4"	380	92 g
2510-529-025000000	1"	150	148 g

Kolanko nakrętne czarne



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-090-010000000	3/8"	400	53 g
2510-090-015000000	1/2"	400	70 g
2510-090-020000000	3/4"	210	110 g
2510-090-025000000	1"	120	173 g
2510-090-032000000	1 1/4"	64	270 g
2510-090-040000000	1 1/2"	48	340 g
2510-090-050000000	2"	32	532 g

Kolanko wz czarne



Kod produktu	Rozmiar	Ilość w op.	Waga
2510-092-010000000	3/8"	280	53 g
2510-092-015000000	1/2"	300	74 g
2510-092-020000000	3/4"	180	117 g
2510-092-025000000	1"	104	185 g
2510-092-032000000	1 1/4"	60	325 g
2510-092-040000000	1 1/2"	52	410 g
2510-092-050000000	2"	26	676 g

Tulejka śrubunka



Kod produktu	Rozmiar	Ilość w op.	Waga
0200-001-372025000	1"	10	76 g

Nakrętka śrubunka



Kod produktu	Rozmiar	Ilość w op.	Waga
0200-001-374040000	1 1/2"	10	124 g

INSTAL-COMPLEX

Pysząca, ul. Śremska 26, 63-100 Śrem
tel.: +48 618 190 670, fax: +48 616 229 978
handel@instalcomplex.eu, www.instalcomplex.eu

www.instalcomplex.eu